

Components for coffee grinders

straight grinding burrs

standard



pos.	part no.	turn direction	D1 ø (mm)	ID ø (mm)	H (mm)	tooth spacing (mm)	Lø (mm)	bore ø (mm)	mounting ø	suitable for	equiv. no.
1	527243	left	43	25	7	3	3,2	6	35	Saeco	-
2	526216	left	50	30	7,5	3	4,6	7,6	38	Anfim Obel	50 DF8
3	527213	left	50	30	8	2,5	4,5	7,5	40	Brasilia	-
4	527229	left	50	31	8	3	4,5	7,5	40	Obel Rancilio	DF8 69000032
5	527216	left	53	30	8,5	3	5,5	8,5	42	Casadio	-
6	527224	left	54	31	8	3,5	4,5	6,5	45	Faema QualityEspresso	00896209
7	527210	left	54	32	8	3,5	4,5	6,5	42	Anfim	54
8	525555	left	62	38	9	3,5	5,5	8,5	50	QualityEspresso	00888008
9	526518	left	63,3	38	9	2,5	5	8,5	50	Brasilia Rossi	19164.3.00.04 M4433.64
10	527235	left	63,3	38	9	3	5,5	8,5	50	Rancilio	69000033
11	527202	left	63,3	38	9	3	5,5	8,5	50	Brasilia Reneka Rossi	00058.2.00.04 9009822 4433
12	527233	left	63,3	38	9	3	5,5	8,5	50	Obel	EB08
13	527238	left	63,5	38	9	3,5	5,5	8,5	47	Santos	06205+06302
14	525533	left	64	37	8,5	3	5	8,5	50	QualityEspresso	09000298
15	526217	left	64	37	9	3,5	6	8	46	Anfim	64
16	527234	left	66	35	9	6	4,5	7,3	50	Quick Mill	-
17	527211	left	75	43	9	4	6,5	10,5	57	Anfim	75
18	527236	left	75	43	10,6	4	6,5	10	57	Rancilio	69000034
19	526218	left	75	43,5	9,2	3,5	6,5	10	57	Anfim	75-SP
20	527215	left	83	45	10	3,5	6,5	10,5	65	Brasilia Rossi	- -
21	527214	left	84	45	10,3	4	6	10	68	Casadio	-
22	527245	right	49	30	7,5	3	4,5	6,5	39	Faema	-
23	527244	right	50	30	7,5	2,5	4,5	7,5	40	Eureka Gaggia	MAC50 CP
24	527223	right	54	31	8	3,5	4,5	6,5	45	Faema	4801-116 730
25	527218	right	54	32	9	3,5	6	8,5	41	Cimbali	-
26	527914	right	58	33	8,5	3	5	8	44	Mazzer	FMA001082D
27	525816	right	58	33,4	8,5	3	5	8,5	44	Compak	K2058
28	527702	right	58	34	8,5	3	4,5	7,5	45	Macap	C0004M135A
29	527701	right	58	34	8,5	3	4,5	7,5	47	Macap	C0004M135
30	527240	right	60	34	8	4	5,5	8,3	48	Compak Wega	-
31	525272	right	60	37,8	8,9	3,5	5,5	8,5	48,7	Eureka	MAC60 CP
32	526716	right	61	35	8,4	3	5	9	45	Mazzer	FMA00195D
33	527227	right	63	38	9,5	3	5,5	8,5	48	Fiorenzato-C.S. Fiorenzato-Quamar	A3200063 260001
34	527241	right	63,3	38	9	3	5,5	8,5	50	Astoria Wega	28217000 WY28217000
35	525815	right	63,4	38,2	9,2	3,5	5,5	8,6	56,7	Compak	K00099
36	527231	right	64	37	8,4	3	5,5	9	49	Mazzer	FMA00189D
37	527650	right	64	37	8,5	3,5	6	8,5	49	Fiorenzato-M.C	001.002.034

UNIVERSAL PARTS – COMPONENTS FOR COFFEE GRINDERS



pos.	part no.	turn direction	D1 ø (mm)	ID ø (mm)	H (mm)	tooth spacing (mm)	Lø (mm)	bore ø (mm)	mounting ø	suitable for	equiv. no.
38	526931	right	64	37	8,5	4	6,3	8,5	49	San Marco	202174
39	527219	right	64	37	9	3	5,5	8,5	50	Cimbali	535-100-200
40	527113	right	64	37,5	9	4	6	8,5	49	NuovaSimonelli	15050001
41	527246	right	64	38	8,6	3	6	8,5	48	San Marco	-
42	527225	right	64	38	9	2,5	5	8	50	Faema	-
43	525524	right	64	38	9	3	5,5	9	49	Ceado	40185
44	525525	right	64	38	9	3	5,5	9	49	Ceado	40168
45	527700	right	64,5	38	8,5	3	5	8,5	48	Elektra Macap	C0004M122 C0004M122
46	527703	right	64,5	38	8,5	3	5	8,5	50	Macap	C0004M122A
47	527220	right	68	43	8	5	5	8	54	Alinox DRM	- -
48	527586	right	74	38	9	4	6	8,5	-	Eureka	-
49	527699	right	74	42,5	9,2	3,5	5	8,5	59	Macap	C0004M121A
50	527704	right	74	42,5	9,2	3,5	5,5	8,5	57	Macap	C0004M121
51	526552	right	75	43	10,5	3,5	5,5	8,5	57	Compak Wega	-
52	525647	right	75	43,7	9,3	3,5	5,5	9	57	Faema	4801-133 539
53	527242	right	80	41	10,3	4	6	10	60,5	Astoria Wega	28217005 WY28217005
54	527651	right	82,5	49	9,5	3	6	10	66	Fiorenzato-M.C	001.002.030
55	525526	right	82,5	49,2	9,5	3	6	10,2	65,5	Ceado	40180
56	526177	right	82,5	49,2	9,5	3,5	6	10,2	66	Compak	K00812
57	527228	right	83	45	10	4	6	10	64,5	Fiorenzato-C.S. Fiorenzato-Quamar	260003 260003
58	527232	right	83	49	9,6	3	6	10	65	Mazzer	FMA00151B
59	531122	right	83	49	9,6	3,5	6	10	76	Mazzer	FMA00151C
60	527247	right	83,5	45	9	4	6	10	66	San Marco	202254

TITAN



pos.	part no.	turn direction	D1 ø (mm)	ID ø (mm)	H (mm)	tooth spacing (mm)	Lø (mm)	bore ø (mm)	mounting ø	suitable for	equiv. no.
1	527036	right	63,5	38	9,2	3,8	5,5	8,5	50	Wega	WY28217004
2	525271	right	74	37,7	9	3,8	6	8,6	48,5	Eureka	MACMYTHOS CP
3	526274	right	75	43,7	9,3	3,5	5,5	9	57	Faema	990-709 000

special



pos.	part no.	turn direction	D1 ø (mm)	ID ø (mm)	H (mm)	tooth spacing (mm)	Lø (mm)	bore ø (mm)	mounting ø	suitable for	equiv. no.
1	527889	left	65	30/34	8,8	3	6	9	45	Cunill	MC0058+MC0061
2	527566	right	59	30/34	8,8	3,5	6	9	44	Cunill	MC0059+MC0060

COMPONENTS FOR COFFEE GRINDERS - UNIVERSAL PARTS

conical grinding burrs



pos.	part no.	D1 ø (mm)	D2 ø (mm)	H (mm)	shaft ø (mm)	version	suitable for	equiv. no.
1	526890	38	30	18/20	7	-	Iberital-Macchine	709
2	527248	40	32	20	10	-	Grimac Saeco	MAC076 -
3	527200	47	31,5	20	10	-	Brasilia	11779.3.00.04
4	527915	63	40	23	12	with flute	Mazzer	FMA00191C
5	527705	63	40	23,5	13	-	Macap	C0004M122B
6	525457	68	-	-	-	-	Compak	K03068
7	527431	68	49	25	11	-	Faema	2801-131 470
8	527222	68	49	25	13	-	Eureka	-
9	526932	68	49	25	13	with flute	San Marco	202251
10	527237	68	49	25	13	with flute	Brasilia Rossi	03603.3.00.04 5585
11	527221	68	49	25	13	with thread	Eros	-
12	527383	71	49	25	14	with flute	Mazzer	FMA00186C
13	527382	83	58,3	25	14	with flute	Mazzer	FMA00187C

straight/conical grinding burrs



pos.	part no.	turn direction	D1 ø (mm)	D2 ø (mm)	shaft ø (mm)	H (mm)	suitable for	equiv. no.
1	526930	right	84	45	13	9	San Marco	202250